

9/18/52, 995

	Hits	Search Text	DBs
1	14370	(recipient\$1 or receiver\$1 or (receiv\$4 adj part\$3)) and ((initiat\$4 adj part\$3) or sender\$1) and (@ad < "20010510")	USPAT; US - PGPU B; EPO; JPO; DERWENT; IBM _ TDB
2	935	173 and (rule\$1) and server\$1 and database\$1	USPAT; US - PGPU B; EPO; JPO; DERWENT; IBM _ TDB
3	524	174 and (unique with (identifier\$1 or id\$1 or key\$1))	USPAT; US - PGPU B; EPO; JPO; DERWENT; IBM _ TDB
4	404	175 and conver\$5 and (site\$1 or page\$1) and communicat\$5	USPAT; US - PGPU B; EPO; JPO; DERWENT; IBM _ TDB
5	279	176 and (((secure\$4 or protected) with access\$4) or authenticat\$4)	USPAT; US - PGPU B; EPO; JPO; DERWENT; IBM _ TDB
6	253	177 and status\$3	USPAT; US - PGPU B; EPO; JPO; DERWENT; IBM _ TDB

	Hits	Search Text	DBs
7	206	178 and (periodically or sometimes or occasionally or (regular with interval\$1))	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB
8	199	179 and (entr\$3 or row\$1 or tuple\$1)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB
9	151	180 and ((web adj (site\$1 or page\$1)) or brows\$4)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB
10	151	181 and (quer\$4 or requir\$4 or inquir\$4)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB
11	13516	((709/203) or (709/200) or (709/102) or (709/103) or (709/340) or (709/230) or (709/232) or (707/1-10) or (707/100-104.1)).CCLS.	USPAT
12	1841	((370/329) or (370/229) or (370/235) or (379/93.09) or (379/93.11) or (379/100.17)).CCLS.	USPAT
13	88	183 and 184	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB

	Hits	Search Text	DBs
14	15269	183 or 184	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB
15	14715	186 and (@ad < "20010510")	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB
16	29	182 and 187	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB

9/85 2,995

	Hits	Search Text	DBs
1	31186	(database\$1 or director\$3) and (id\$1 or identifier\$1 or key\$1 or identification\$1) and rule\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	5322	(database\$1 or director\$3) and (id\$1 or identifier\$1 or key\$1 or identification\$1) and (rule\$1 with (contact\$1 or connect\$4 or convers\$4 or communicat\$4 or connect\$4 or correspond\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	3415	((database\$1 or director\$3) and (id\$1 or identifier\$1 or key\$1 or identification\$1) and (rule\$1 with (contact\$1 or connect\$4 or convers\$4 or communicat\$4 or connect\$4 or correspond\$4))) and (@ad <20010510)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	3228	((database\$1 or director\$3) and (id\$1 or identifier\$1 or key\$1 or identification\$1) and (rule\$1 with (contact\$1 or connect\$4 or convers\$4 or communicat\$4 or connect\$4 or correspond\$4))) and (@ad <20010510)) and (recipient\$1 or part\$3 or receiver\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	1070	((((database\$1 or director\$3) and (id\$1 or identifier\$1 or key\$1 or identification\$1) and (rule\$1 with (contact\$1 or connect\$4 or convers\$4 or communicat\$4 or connect\$4 or correspond\$4))) and (@ad <20010510)) and (recipient\$1 or part\$3 or receiver\$1)) and (unique with (id\$1 or identifier\$1 or key\$1 or identification\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	1008	(((((database\$1 or director\$3) and (id\$1 or identifier\$1 or key\$1 or identification\$1) and (rule\$1 with (contact\$1 or connect\$4 or convers\$4 or communicat\$4 or connect\$4 or correspond\$4))) and (@ad <20010510)) and (recipient\$1 or part\$3 or receiver\$1)) and (unique with (id\$1 or identifier\$1 or key\$1 or identification\$1))) and (entr\$3 or record\$1 or row\$1 or tuple\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	14472	((707/1-10) or (707/100-104.1)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	9750	((707/1-10) or (707/100-104.1)).CCLS.	USPAT
9	0	("17and19").PN.	USPAT

	Hits	Search Text	DBs
10	156	<pre> (((((database\$1 or director\$3) and (id\$1 or identifier\$1 or key\$1 or identification\$1) and (rule\$1 with (contact\$1 or connect\$4 or convers\$4 or communicat\$4 or connect\$4 or correspond\$4))) and (@ad <20010510)) and (recipient\$1 or part\$3 or receiver\$1)) and (unique with (id\$1 or identifier\$1 or key\$1 or identification\$1))) and (entr\$3 or record\$1 or row\$1 or tuple\$1)) and (((707/1-10) or (707/100-104.1)).CCLS.) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	13001	((709/203) or (709/200) or (709/102) or (709/103) or (709/340) or (709/230) or (709/232) or (707/1-10) or (707/100-104.1)).CCLS.	USPAT
2	3024	12 and database\$1 and rule\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	5465	12 and database\$1 and (rule\$1 or protocol\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	5381	14 and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	1830	15 and server\$1 and convert\$4 and (communicat\$4 or connect\$4 or contact\$1 or convers\$4 or correspond\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	423	16 and access\$4 and secure\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	187	17 and (unique with (id\$1 or identifier\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	13001	((709/203) or (709/200) or (709/102) or (709/103) or (709/340) or (709/230) or (709/232) or (707/1-10) or (707/100-104.1)).CCLS.	USPAT
2	3024	12 and database\$1 and rule\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	5465	12 and database\$1 and (rule\$1 or protocol\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	5381	14 and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	1830	15 and server\$1 and convert\$4 and (communicat\$4 or connect\$4 or contact\$1 or convers\$4 or correspond\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	423	16 and access\$4 and secure\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	187	17 and (unique with (id\$1 or identifier\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	49	(("6192114") or ("4388489") or ("6442571") or ("6151619") or ("5222136") or ("5467390") or ("5692039") or ("6161129") or ("6397329") or ("5764735") or ("5937043") or ("3819870") or ("5724407") or ("5794206") or ("6009469") or ("6131121") or ("6147977") or ("6185184") or ("6219669") or ("6219669") or ("6243568") or ("6141750") or ("5812670") or ("5434920") or ("5455861") or ("5594798") or ("5809130") or ("5818920") or ("5864606") or ("5974142") or ("6108704") or ("6240402") or ("6308277") or ("6453335") or ("6018577") or ("6185426") or ("6229804") or ("6535506") or ("5805683") or ("6011843") or ("6075853") or ("6185282") or ("6411692") or ("5926526") or ("6195418") or ("5838768") or ("6041123") or ("6404858") or ("6292830") or ("5841966") .PN.	USPAT
9	39	19 and ((recipient\$1 or receiv\$4) with part\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	866415	((control\$4 or manag\$4 or monitor\$4) with (contact\$1 or communicat\$4 or connect\$4)) .ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	735380	l11 and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	2856	l12 and database\$1 and ((rule\$1 or protocol\$1) with (communicat\$4 or connect\$4 or contact\$1 or convers\$4 or correspond\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	1444	l13 and ((unique adj (identifier\$1 or id\$1)) or key\$1) and database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	68	l14 and (data adj conversion\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	9	l14 and (data with convers\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	274	l14 and (data with convers\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	186	l17 and server\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	143	l19 not l18	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	65	l17 and recipient\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	1871	370/229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	2388	370/235	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	1674	((370/329) or (370/229) or (370/235) or (379/93.09) or (379/93.11) or (379/100.17)).CCLS.	USPAT
23	1	120 and 123	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	3	117 and 123	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	873	((709/240) or (709/206)).CCLS.	USPAT
2	855	l1 and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	361	l2 and database\$1 and (rule\$1 or protocol\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	220	l3 and (demand\$4 or trigger\$4 or priorit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB